

The Colne Valley, a Regional Park with National Significance

Tim Hill, Conservation Manager, Herts and Middlesex Wildlife Trust

The wetland resource of the Colne Valley: an assessment of its importance to nature conservation, with special reference to waterbirds



Graham J White & Alan J Harris











The wetland resource of the Colne Valley: an assessment of its importance to nature conservation, with special reference to waterbirds



Graham White October 2023








- 1. Batchworth Lake
- 2. Bury Lake
- 3. Stocker's Lake
- 4. Inns Lake
- 5. Springwell Lake
- 6. Lynsters Lakes (East & West)
- 7. Pynesfield Lake
- 8. Blue Circle Lake
- 9. Troy Lake
- 10.Broadwater Lake
- 11. Tilehouse Lake (North & South)
- 12. Harefield Lake
- 13. Korda Lakes
- 14. Harefield Marina
- 15.Savay Lake
- 16.Denham Quarry Lakes (A-E)
- 17 Black Park Lake
- 18.Cape Boards Lake.
- 19 Langley Park Lake
- 20.Little Britain Lake
- 21.Farlows Lakes
- 22.Iver Water Treatment Works
- 23.Thomey
- 24 Lakes at The Common
- 25.Old Slade Lake
- 26.The Queen Mother Reservoir
- 27. Sunnymeads Lake
- 28 Kingsmead
- 29. Wraysbury Reservoir
- 30. Wraysbury Lakes (A-G)
- 31.King George VI Reservoir
- 32 Moor Lane Nature Reserve
- 33 Staines Reservoira
- 34. Hythe End





2022/23 - Landscape-scale Assessment







October 2023







Headlines

Peak number of birds = 3011

National significance for Shoveler and Pochard

Moult refuge at Broadwater Lake – 360 birds in August

Key refuges – Broadwater Lake SSSI and Stocker's Lake





	27 Sep	10 Oct	18 Nov	23 Dec	10 Jan	06 Feb	13 Mar	Peak Count	Level of national significance
Great Crested Grebe	79	103	92	54	69	75	72	103	170
Cormorant	54	53	109	86	70	100	90	109	620
Mute Swan	20	18	28	64	55	49	31	64	500
Canada Goose	185	194	12	24	134	167	305	305	N/A
Greylag Goose	100	108	12	0	13	2	4	108	N/A
Wigeon	14	20	7	107	46	62	82	107	4500
Gadwall	40	49	53	184	100	102	46	184	310
Teal	3	7	18	22	20	12	7	22	4300
Mallard	92	113	86	146	85	91	53	146	6700
Shoveler	48	83	109	184	228	344	132	344	190
Red-crested Pochard	0	0	0	32	13	22	4	32	N/A
Pochard	80	195	234	171	191	191	186	234	230
Tufted Duck	173	400	746	522	655	660	388	746	1300
Goldeneye	0	0	7	15	13	13	15	15	190
Smew	0	0	1	1	1	1	0	1	1
Goosander	0	0	2	0	0	1	0	2	150
Coot	969	1158	1400	1379	1318	1075	695	1400	2000
TOTAL	1857	2501	2916	2991	3011	2967	2110	3011	



Totals of waterbirds at individual sites in the Colne Valley September 2022 to March 2023

	27 Sep	10 Oct	18 Nov	23 Dec	10 Jan	06 Feb	13 Mar	Peak count	Peak Count 2006-07
Stocker's complex	663	756	722	684	842	717	544	834	1431
Springwell	8	8	6	11	18	45	60	60	276
Maple Lodge	10	17	48	77	75	87	55	87	151
Lynsters	87	259	283	263	290	278	205	290	662
Pynesfield	154	178	225	332	298	240	159	332	263
North Troy	50	46	78	291	95	91	38	291	107
Troy Mill	208	198	391	334	364	273	210	391	369
Tilehouse	28	36	58	62	52	47	36	62	226
Broadwater complex	459	557	589	443	560	784	501	784	1160
Savay	34	46	56	50	41	59	45	59	395
Harefield No 2	19	98	143	132	109	100	84	143	95
Denham complex	137	302	316	309	266	245	173	316	303
TOTAL	1857	2501	2916	2991	3011	2967	2110	3011	4618



Shoveler – numbers of national significance

Peak count of 344 in February 2023

National significance = 190

Key sites – Broadwater Lake and Stockers Lake





Pochard - numbers of national signficance

Peak count of 234 in November 2022

National significance = 230

Key sites – Broadwater Lake and Stockers Lake





Tufted Ducks – a key moult refuge

Peak count of 360 in August 2023

Key site – Broadwater Lake





Key site – Stockers Lake

Key site for most important species: Shoveler, Pochard, Tufted Duck

Key breeding site for Cormorant, Grey Heron, Little Egret, Common Terns and Black-headed Gulls

Key refuge site, enables birds to feed over a much wider area. Significant movement between here and Broadwater Lake



Creating a wilder Hertfordshire and Middlesex



Key site - Broadwater Lake SSSI


Key site for most important species: Shoveler, Pochard, Tufted Duck, supporting around 800 birds at peak

Key breeding site for Cormorant and Grey Heron

Key summer moult site for Tufted Duck and Coot

Key refuge site, enables birds to feed over a much wider area. Significant movement **between here and Stocker's Lake**







Key refuges at Broadwater Lake SSSI and Stocker's Lake enable birds to exploit other waters across a much wider area.





- Maintain key refuges Broadwater Lake, Stocker's Lake, Maple Lodge
- Maintain early successional habitats shallow water, wet grass, marginal emergent vegetation.
- Manage tree cover to retain and enhance marginal aquatic vegetation and structural diversity.
- Seek natural fish populations
- Reduction of Signal Crayfish
- Management plans & monitoring support fisheries managers









Angling and Nature Conservation – a legacy to support



- Establish and maintain a Colne Valley wetland managers collaborative
- Continue to advise and support fishery managers
- Funding for habitat restoration and management
- Monitor key habitats and species

The Colne Valley



A Regional Park with national significance Colne wetlands and the birds they support

A Regional Park with international significance The South-west London Special Protection Area The River Colne and its chalk stream wildlife

A Regional Park with committed support from a longstanding partnership of local stakeholders

However continuing threats to its wildlife...





- A nationally important site under threat from proposals for a local watersports activity facility
- Find an alternative site for this locally important facility
- Object to the planning application by 21st December
- We need to stand up for nature today to protect it for the future.





Questions?

tim.hill@hmwt.org

hmwt.org

@HMWTBadger